Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:
Listing of Claims:

Claims 1-9 (Cancelled).

10. (Currently Amended) A method for treating constipation and/or preventing defecation dysfunction in a patient with constipation, defecation dysfunction, which comprises

administering to the patient, the <u>a</u>therapeutic and/or preventive—agent for—defecation dysfunction

constipation, according to claim 1 which comprises as an active ingredient a compound of Formula (1) or a

pharmaceutically acceptable salt thereof:

Appln. No. 10/532,585 Amd. dated September 29, 2006 Reply to Office Action of June 30, 2006

wherein R_1 represents an isopropyl group and R_2 represents a methyl group, in doses sufficient to treat and/or prevent defecation dysfunction constipation in the patient.

Claims 11-14 (Cancelled).

- to claim 10, wherein the constipation is analgesic-induced constipation, or induced morphine-induced constipation. for treating and/or preventing defecation dysfunction in a patient with defecation dysfunction, which comprises administering to the patient, the therapeutic and/or preventive agent for defecation dysfunction according to claim 5 in doses sufficient to treat and/or prevent defecation dysfunction in the patient.
- to claim 10, wherein the constipation is functional

 constipation. for treating and/or preventing defecation

 dysfunction in a patient with defecation dysfunction, which

 comprises administering to the patient, the therapeutic and/or

 preventive agent for defecation dysfunction according to claim

 6 in doses sufficient to treat and/or prevent defecation

 dysfunction in the patient.
- 17. (Currently Amended) [[A]] The method according to claim 10, wherein the constipation is constipation

Appln. No. 10/532,585 Amd. dated September 29, 2006 Reply to Office Action of June 30, 2006

associated with irritable bowel syndrome, atonic constipation, rectal constipation or chronic constipation. for treating and/or preventing defecation dysfunction in a patient with defecation dysfunction, which comprises administering to the patient, the therapeutic and/or preventive agent for defecation dysfunction according to claim 7 in doses sufficient to treat and/or prevent defecation dysfunction in the patient.

- 18. (Currently Amended) [[A]] The method according to claim 10, wherein the constipation is senile constipation.

 for treating and/or preventing defecation dysfunction in a patient with defecation dysfunction, which comprises administering to the patient, the therapeutic and/or preventive agent for defecation dysfunction according to claim 8 in doses sufficient to treat and/or prevent defecation dysfunction in the patient.
- 19. (Currently Amended) [[A]] The method according to claim 10, which accelerates normal defecation. for treating and/or preventing defecation dysfunction in a patient with defecation dysfunction, which comprises administering to the patient, the therapeutic and/or preventive agent for defecation dysfunction according to claim 9 in doses sufficient to treat and/or prevent defecation dysfunction in the patient.

Claim 20 (Cancelled).